



Portable Sander



File Sander



Backstand Sander



Benchstand Sander

BELTS

Closed Coat
Aluminum
OxideClosed Coat
ZirconiumClosed Coat
Aluminum
OxideClosed Coat
Aluminum
OxideOpen Coat
Aluminum
OxideClosed Coat
ZirconiumClosed Coat
Silicon
Carbide

Size	Grit	1AX/2AX Quick Ship™ Part No.	ZH Quick Ship™ Part No.
1/4 x 18	36	60016	64016
	40	60017	64017
	50	60018	64018
	60	60019	64019
	80	60020	64020
	100	60021	
	120	60022	
1/4 x 24	36	60030	64030
	40	60031	64031
	50	60032	64032
	60	60033	64033
	80	60034	64034
	100	60035	
3/8 x 13	36	61121	
	40	61122	
	50	61123	
	60	61124	
	80	61125	
	100	61126	
	120	61127	
1/2 x 12	36	60044	
	40	60045	
	50	60046	
	60	60047	
	80	60048	
	100	60049	
1/2 x 18	36	60058	64058
	40	60059	64059
	50	60060	64060
	60	60061	64061
	80	60062	64062
	100	60063	
	120	60064	
1/2 x 24	36	60086	64086
	40	60087	64087
	50	60088	64088
	60	60089	64089
	80	60090	64090
	100	60091	
	120	60092	
3/4 x 18	36	60114	64114
	40	60115	64115
	50	60116	64116
	60	60117	64117
	80	60118	64118
	100	60119	
	120	60120	
3/4 x 20-1/2	36	60128	64128
	40	60129	64129
	50	60130	64130
	60	60131	64131
	80	60132	64132
	100	60133	
	120	60134	
1 x 12	36	60141	
	40	60142	
	50	60143	
	60	60144	
	80	60145	
	100	60146	
	120	60147	
1 x 21	36	60254	
	40	60255	
	50	60256	
	60	60257	
	80	60258	
	100	60259	
	120	60260	

Size	Grit	1AX/2AX Quick Ship™ Part No.	LA-X SAIT-Saver™ Part No.	AO-X Quick Ship™ Part No.	Z-H Quick Ship™ Part No.	C-W Quick Ship™ Part No.
1 x 30	24			63200		
	36	61094		63201		
	40	61095		63202		
	50	61096		63203		
	60	61097		63204		
	80	61098		63205		
	100	61099		63206		
	120	61100		63207		
	150			63208		
	180			63209		
	1 x 42	24			63210	
36		60310		63211	58152	
40		60311	60623	63212	58153	
50		60312	60624	63213	58154	
60		60313	60625	63214	58155	58000
80		60314	60626	63215	58156	58001
100		60315	60627	63216		58002
120		60316	60628	63217		58003
150		60317		63218		58004
180		60318		63219		58005
220		60319				58006
240		60320				
320		60322				
1-1/2 x 60		36	61133			
	40	61134				
	50	61135				
	60	61136				
	80	61137				
	100	61138				
	120	61139				
2 x 48	24			63220		
	36	60506		63221		
	40	60507		63222		
	50	60508		63223		
	60	60509		63224		
	80	60510		63225		
	100	60511		63226		
	120	60512		63227		
2 x 60	180			63229		
	36	60520			64520	
	40	60521			64521	
	50	60522			64522	
	60	60523			64523	
	80	60524			64524	
	100	60525				
120	60526					
2 x 72	36	60534			64534	
	40	60535			64535	
	50	60536			64536	
	60	60537			64537	
	80	60538			64538	
	100	60539				
	120	60540				
2 x 132	36	60576				
	40	60577				
	50	60578				
	60	60579				
	80	60580				
	100	60581				
	120	60582				
2-1/2 x 14	36			63280		
	40		63381	63281		
	50		63382	63282		
	60		63383	63283		
	80		63384	63284		
	100		63385			
	120		63386	63286		

COATED
ABRASIVES

BELTS

BELTS



Benchstand Sander

Portable



Portable Sander

Size	Grit	Closed Coat Aluminum Oxide	Closed Coat Aluminum Oxide	Closed Coat Aluminum Oxide	Open Coat Aluminum Oxide	Open Coat Aluminum Oxide	Closed Coat Zirconium	Closed Coat Zirconium	Closed Coat Silicon Carbide
		1AX/2AX Blue Line™ Part No.	1AX/2AX Quick Ship™ Part No.	LA-X SAIT-Saver™ Part No.	AO-X Blue Line™ Part No.	AO-X Quick Ship™ Part No.	Z-H Blue Line™ Part No.	Z-H Quick Ship™ Part No.	C-W Blue Line™ Part No.
2-1/2 x 60	36		61108					65108	
	40		61109					65109	
	50		61110					65110	
	60		61111					65111	
	80		61112					65112	
	100		61113						
	120		61114						
3 x 18	24	57100				63230			
	36	57101				63231			
	40	57102				63232			
	50	57103				63233			
	60	57104				63234			
	80	57105				63235			
	100	57106				63236			
	120	57107				63237			
	150	57108				63238			
	180	57109							
	220	57110							
	240	57111							
	320	57113							
3 x 21	24	57200			58160				
	36	57201	60604		58161		58112		
	40	57202	60605	55342	58162		58113		
	50	57203	60606	55343	58163		58114		
	60	57204	60607	55344	58164		58115		58200
	80	57205	60608	55345	58165		58116		58201
	100	57206	60609	55346	58166				58202
	120	57207	60610	55347	58167				58203
	150	57208			58168				58204
	180	57209			58169				58205
	220	57210							58206
	240	57211							
	320	57213							
3 x 24	24	57500			58170		58121		
	36	57501	60646		58171		58122		
	40	57502	60647	55352	58172		58123		
	50	57503	60648	55353	58173		58124		
	60	57504	60649	55354	58174		58125		58500
	80	57505	60650	55355	58175		58126		58501
	100	57506	60651	55356	58176				58502
	120	57507	60652	55357	58177				58503
	150	57508			58178				58504
	180	57509			58179				58505
	220	57510							58506
	240	57511							
	320	57513							

COATED ABRASIVES

BELTS

1A-X/2A-X: Aluminum oxide, closed coat, X weight cotton. For general purpose sanding, grinding and finishing of ferrous and non-ferrous metals, wood, cast iron, ordinary and alloyed steels and stainless steel.

AO-X: Aluminum oxide, open coat, X weight cotton. For general purpose sanding and grinding where an open coat structure is needed. Best choice for soft woods, non-ferrous metals, aluminum, leather, rubber and other materials that have the tendency to load.

LA-X (SAIT-Saver™): Economy Aluminum oxide, closed coat, X-weight cotton. For low cost sanding and finishing of ordinary and alloyed steels, ferrous and non-ferrous metals, cast iron, and wood. A good choice where price and best value is the determining factor.

Z-H: Zirconium, closed coat, H weight waterproof polyester. Designed for aggressive grinding of ferrous and non-ferrous metals, cast iron, stainless steel, and aluminum. Backing can be used wet or dry.

C-W: Silicon Carbide, closed coat, X weight waterproof cotton. For grinding and finishing glass, aluminum, marble, hard cast iron, ceramics, non-ferrous metals, plastics, rubber and stone. Backing can be used wet or dry.



Benchstand Sander



Portable Sander

BELTS

Size	Grit	Closed Coat Aluminum Oxide	Closed Coat Aluminum Oxide	Closed Coat Aluminum Oxide	Open Coat Aluminum Oxide	Open Coat Aluminum Oxide	Closed Coat Zirconium	Closed Coat Zirconium	Closed Coat Silicon Carbide
		1AX/2AX Blue Line™ Part No.	1AX/2AX Quick Ship™ Part No.	LA-X SAIT-Saver™ Part No.	AO-X Blue Line™ Part No.	AO-X Quick Ship™ Part No.	Z-H Blue Line™ Part No.	Z-H Quick Ship™ Part No.	G-W Blue Line™ Part No.
3 x 60	36		60202						
	40		60203						
	50		60204						
	60		60205						
	80		60206						
	100		60207						
	120		60208						
3 x 132	36		60772					64772	
	40		60773					64773	
	50		60774					64774	
	60		60775					64775	
	80		60776					64776	
	100		60777						
	120		60778						
3-1/2 x 15-1/2	36		61145						
	40		61146						
	50		61147						
	60		61148						
	80		61149						
	100		61150						
	120		61151						
4 x 21	24	57600			58180				
	36	57601			58181				
	40	57602			58182				
	50	57603			58183				
	60	57604			58184				
	80	57605			58185				
	100	57606			58186				
	120	57607			58187				
	150	57608			58188				
	180	57609			58189				
	220	57610							
	240	57611							
	320	57613							
4 x 24	24	57900			58190		58131		
	36	57901	60842		58191		58132		
	40	57902	60843	55362	58192		58133		
	50	57903	60844	55363	58193		58134		
	60	57904	60845	55364	58194		58135		58850
	80	57905	60846	55365	58195		58136		58851
	100	57906	60847	55366	58196				58852
	120	57907	60848	55367	58197				58853
	150	57908			58198				58854
	180	57909			58199				58855
	220	57910							58856
	240	57911							
	320	57913							
4 x 36	24		60855			63240			
	36		60856			63241			
	40		60857	60663		63242			
	50		60858	60664		63243			
	60		60859	60665		63244			
	80		60860	60666		63245			
	100		60861	60667		63246			
	120		60862	60668		63247			
	150		60863			63248			
	180		60864			63249			
	220		60865						
	240		60866						
	320		60868						
4 x 48	36		60869						
	40		60870						
	50		60871						
	60		60872						
	80		60873						
	100		60874						
	120		60875						
4 x 54	36		60884						
	40		60885						
	50		60886						
	60		60887						
	80		60888						
	100		60889						
	120		60890						

COATED ABRASIVES

BELTS

BELTS



Backstand Sander Benchstand Sander

Size	Grit	Closed Coat Aluminum Oxide	Closed Coat Aluminum Oxide	Open Coat Aluminum Oxide	Closed Coat Zirconium	Closed Coat Silicon Carbide
		1AX/2AX Quick Ship™ Part No.	LA-X SAIT-Saver™ Part No.	AO-X Quick Ship™ Part No.	Z-H Quick Ship™ Part No.	C-W Quick Ship™ Part No.
4 x 60	36	60222				
	40	60223				
	50	60224				
	60	60225				
	80	60226				
	100	60227				
	120	60228				
4 x 64	80					64201
	100					64202
	120					64203
4 x 106	60					64210
	80					64211
	100					64212
	120					64213
4 x 132	36	60982			64982	
	40	60983			64983	
	50	60984			64984	
	60	60985			64985	64220
	80	60986			64986	64221
	100	60987				64222
	120	60988				
6 x 48	24	61023		63250		
	36	61024		63251	58142	
	40	61025	60683	63252	58143	
	50	61026	60684	63253	58144	
	60	61027	60685	63254	58145	58900
	80	61028	60686	63255	58146	58901
	100	61029	60687	63256		58902
	120	61030	60688	63257		58903
	150	61031		63258		58904
	180	61032		63259		58905
	220	61033				58906
	240	61034				
	320	61036				
	6 x 132	36	61051			
40		61052				
60		61054				
80		61055				
100		61056				
120		61057				

1A-X/2A-X: Aluminum oxide, closed coat, X weight cotton. For general purpose sanding, grinding and finishing of ferrous and non-ferrous metals, wood, cast iron, ordinary and alloyed steels and stainless steel.

AO-X: Aluminum oxide, open coat, X weight cotton. For general purpose sanding and grinding where an open coat structure is needed. Best choice for soft woods, non-ferrous metals, aluminum, leather, rubber and other materials that have the tendency to load.

LA-X (SAIT-Saver™): Economy Aluminum oxide, closed coat, X-weight cotton. For low cost sanding and finishing of ordinary and alloyed steels, ferrous and non-ferrous metals, cast iron, and wood. A good choice where price and best value is the determining factor.

Z-H: Zirconium, closed coat, H weight waterproof polyester. Designed for aggressive grinding of ferrous and non-ferrous metals, cast iron, stainless steel, and aluminum. Backing can be used wet or dry.

C-W: Silicon Carbide, closed coat, X weight waterproof cotton. For grinding and finishing glass, aluminum, marble, hard cast iron, ceramics, non-ferrous metals, plastics, rubber and stone. Backing can be used wet or dry.

For other sizes, grits and materials, see page 68 for our extensive custom belt program

COATED
ABRASIVES

BELTS